

型 式	SPEC	屋内用電源(非防水)	販売価格
iGSC-PS-TLST1	12V DC出力	入力電圧交流100-240V,1アンペア,50/60 Hz、消費電力12W	¥2,000
iGSC-PS-TLST2	12V DC出力	入力電圧交流100-240V,2アンペア,50/60 Hz、消費電力24W	¥2,500
iGSC-PS-TLST3	12V DC出力	入力電圧交流100-240V,4アンペア,50/60 Hz、消費電力48W	¥3,000
iGSC-PS-TLST4	12V DC出力	入力電圧交流100-240V,5アンペア,50/60 Hz、消費電力60W	¥5,000
iGSC-PS-TLST5	12V DC出力	入力電圧交流100-240V,6アンペア,50/60 Hz、消費電力72W	¥6,000
iGSC-PS-TLST6	12V DC出力	入力電圧交流100-240V,8アンペア,50/60 Hz、消費電力96W	¥10,000
iGSC-PS-TLST7	12V DC出力	入力電圧交流100-240V,10アンペア,50/60 Hz、消費電力120W	¥14,000
iGSC-PS-TLST8	12V DC出力	入力電圧交流100-240V,30アンペア,50/60 Hz、消費電力360W	¥16,000
iGSC-PS-TLST9	24V DC出力	入力電圧交流100-240V,50/60 Hz、消費電力75W	¥5,000
iGSC-PS-TLST10	24V DC出力	入力電圧交流100-240V,50/60 Hz、消費電力100W	¥8,000
iGSC-PS-TLST11	24V DC出力	入力電圧交流100-240V,50/60 Hz、消費電力150W	¥12,000
iGSC-PS-TLST12	24V DC出力	入力電圧交流100-240V,50/60 Hz、消費電力200W	¥16,000
型式	SPEC	屋外用電源(防水)IP65	
SC-PS-1-TLIP	12/24VDC	入力電圧交流100-240V,輸出電圧12V/24V DC,50/60 Hz、消費電力30W	¥5,000
SC-PS-2-TLIP	12/24VDC	入力電圧交流100-240V,出力電圧12V/24V DC,50/60 Hz、消費電力60W	¥7,000
SC-PS-3-TLIP	12/24VDC	入力電圧交流100-240V,輸出電圧12V/24V DC,50/60 Hz、消費電力100W	¥14,000
SC-PS-4-TLIP	12/24VDC	入力電圧交流100-240V,輸出電圧12V/24V DC,50/60 Hz、消費電力150W	¥18,000

※すべての価格には消費税が含まれております。
 ※送料は別途お客様ご負担となります。

コントローラ関連価格表

Model Number	Descriptions	販売価格
SC-WC11	LED controller w ith touch interface, 12V/24V DC input, 6A each channel	¥ 5,440
SC-WC12	LED controller touch panel	¥ 12,580
SC-WC11-A	LED controller w ith touch interface, 12V/24V DC input, 6A each channel, equiped w ith WC12 touch panel	¥ 7,200
SC-WC11-B	LED controller w ith touch interface, 12V/24V DC input, 6A each channel, equiped w ith 8-key remote control panel	¥ 6,500
LC-0RGB-D5	IP65 triangle LED controller w ith touch interface, 12V/24V DC input, 6A each channel	¥ 7,200
LC-0RGB-D5-01A	IP65 triangle LED controller w ith touch interface, 12V/24V DC input, 6A each channel, equiped w ith WC12 touch panel	¥ 18,800
LC-0RGB-D5-01B	IP65 triangle LED controller w ith touch interface, 12V/24V DC input, 6A each channel, equiped w ith 8-key remote control panel	¥ 9,200
LC-0RGB-D5-05	square w all mounted touch controller, 12V/24V DC input, 3A each channel,	¥ 8,200



SC-WC11-A and SC-WC12



SC-WC11-B



LC-0RGB-D5-01A







LC-0RGB-D5-01B



LC-0RGB-D5-05




※すべての価格には消費税が含まれております。
 ※送料は別途お客様ご負担となります。

Model Number	Descriptions	販売価格		
SC-WC6	IP65 wireless RGB LED controller, 12V/24V DC input, 12A output current, 9 standard color change patterns,	¥ 5,100		
SC-WC7	miniature wireless dimming RGB LED controller, 12V/24V DC input, 12A output current, 9 standard color change patterns	¥ 3,740		
SC-WC8	DMX512 LED controller, 4A/12VDC, 2A/24VDC output for each channel, with mounting accessories	¥11,560		
SC-WC9	DMX512 LED controller, work with Signcomplex digital ribbon light, with mounting accessories	¥17,680		
SC-AP-W-12/24	IP65 RGB LED amplifier, 24V DC input and output	¥ 5,100		
SC-AP-12	RGB amplifier, 12V DC input and output	¥ 3,740		
SC-WC4	miniature wireless single color LED controller for Digital ribbon, 12V DC input	¥ 8,500		
SC-WC5	miniature wireless RGB LED controller for Digital ribbon, 12V DC input	¥ 8,500		

			
SC-WC6	SC-WC7	SC-WC8/WC9	SC-AP-W-24

※すべての価格には消費税が含まれております。
 ※送料は別途お客様ご負担となります。

Model Number	Descriptions	販売価格	
LC-ODMX-D1-001	USB DMX Interface, LCD touch screen, supplied with a USB cable and software in English	¥ 24,000	
LC-0RGB-D5-06	Mini RGB LED Controller, 4A for each channel, 12/24V DC	¥ 5,800	
LC-0RGB-D5-03	dimnable rotary knob RGB controller, 12/24V DC	¥ 9,000	
LC-0RGB-D4-01	4 in 1 LED controller, 4A for each channel, 12/24V DC	¥ 7,200	


※すべての価格には消費税が含まれております。
 ※送料は別途お客様ご負担となります。